NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 07/28/2014 08:51
Last Report Issued 06/07/2014 09:13

88888
Clinical Example Report
Attn: IT Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 1261U
Patient ID 1261U
Chain 14001393
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 14001393

Received 06/04/2014 12:53

Sample ID 14001393-001
Matrix Urine
Patient Name 1261U
Patient ID 1261U
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
1261U Chromium, Urine				
Analysis by Colorimetry (C)				
Creatinine	1000	mg/L	100	
U.S. Population (10th - 90th percentiles, median) All participants: 335 - 2370 mg/L, median 1180 (n=22,245) Males: 495 - 2540 mg/L, median 1370 (n=10,610) Females: 273 - 2170 mg/L, median 994 (n=11,635)				
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)				
Chromium	None Detected	mcg/L	1.0	
Normal urine values are less than 1.0 mcg/L.				
Chromium (Creatinine corrected)	None Detected	mcg/g Creat	1.0	
Normally: Less than 1 mcg/g Creatinine.				