



Effective Date:  
Monday, September 14, 2015

## Test Updates

In our continuing effort to provide you with the highest quality toxicology laboratory services available, we have compiled important changes regarding a number of tests we perform. Listed below are the types of changes that may be included in this notification, effective Monday, September 14, 2015

---

**Test Changes** - Tests that have had changes to the method/ CPT code, units of measurement, scope of analysis, reference comments, or specimen requirements.

**Discontinued Tests** - Tests being discontinued with alternate testing suggestions.

---

Please use this information to update your computer systems/records. These changes are important to ensure standardization of our mutual laboratory databases.

If you have any questions about the information contained in this notification, please call our Client Support Department at (866) 522-2206. Thank you for your continued support of NMS Labs and your assistance in implementing these changes.

The CPT Codes provided in this document are based on AMA guidelines and are for informational purposes only. NMS Labs does not assume responsibility for billing errors due to reliance on the CPT Codes listed in this document.



Effective Date:  
Monday, September 14, 2015

## Test Updates

Test Code	Test Name	Test Name	Method / CPT Code	Specimen Req.	Stability	Scope	Units	Reference Comments	Discontinue
5495B	Dextro/Levo Methorphan Confirmation, Blood			•	•				
5495SP	Dextro/Levo Methorphan Confirmation, Serum/Plasma			•	•	•			
9205B	Dextro/Levo Methorphan Screen, Blood			•	•				
9205SP	Dextro/Levo Methorphan Screen, Serum/Plasma			•	•	•			
2915B	Dextro/Levo Methorphan, Blood			•	•				
2915FL	Dextro/Levo Methorphan, Fluid			•	•				
2915SP	Dextro/Levo Methorphan, Serum/Plasma			•	•	•			
2915TI	Dextro/Levo Methorphan, Tissue			•					
54324B	Methadone Confirmation (Drug Impaired Driving/DRE Toxicology), Blood (Forensic) (CSA)			•	•	•			
55060U	Methadone Confirmation (Drug Impaired Driving/DRE Toxicology), Urine (Forensic) (CSA) IN/LA			•	•	•			
5907H	Methadone Confirmation (Qualitative), Hair			•					
10038B	Methadone and Metabolite (Drug Impaired Driving-DRE Toxicology), Blood (Forensic) (CSA)			•	•	•			
10038SP	Methadone and Metabolite (Drug Impaired Driving-DRE Toxicology), Serum/Plasma (Forensic) (CSA)			•	•	•			
2760ME	Methadone and Metabolite (Qualitative), Meconium			•					
54005B	Methadone and Metabolite Confirmation (Drug Impaired Driving/DRE Toxicology), Blood (Forensic)			•	•	•			
55047U	Methadone and Metabolite Confirmation (Drug Impaired Driving/DRE Toxicology), Urine (Forensic) (CSA) IN/LA			•	•	•			
54005U	Methadone and Metabolite Confirmation (Qualitative) (Drug Impaired Driving/DRE Toxicology), Urine (Forensic)			•	•	•			
5682ME	Methadone and Metabolite Confirmation (Qualitative), Meconium			•					
52257U	Methadone and Metabolite Confirmation (Qualitative), Urine (CSA)			•	•	•			
5682B	Methadone and Metabolite Confirmation, Blood			•	•	•			
52309B	Methadone and Metabolite Confirmation, Blood (CSA)			•	•	•			
50015B	Methadone and Metabolite Confirmation, Blood (Forensic)			•	•	•			
5682FL	Methadone and Metabolite Confirmation, Fluid			•	•				



Effective Date:  
Monday, September 14, 2015

## Test Updates

Test Code	Test Name	Test Name	Method / CPT Code	Specimen Req.	Stability	Scope	Units	Reference Comments	Discontinue
50015FL	Methadone and Metabolite Confirmation, Fluid (Forensic)			•	•				
5682SP	Methadone and Metabolite Confirmation, Serum/Plasma			•	•	•			
50015SP	Methadone and Metabolite Confirmation, Serum/Plasma (Forensic)			•	•	•			
5682TI	Methadone and Metabolite Confirmation, Tissue			•					
50015TI	Methadone and Metabolite Confirmation, Tissue (Forensic)			•					
5682U	Methadone and Metabolite Confirmation, Urine			•	•	•			
50015U	Methadone and Metabolite Confirmation, Urine (Forensic)			•	•	•			
8722B	Methadone and Metabolite, Blood			•	•	•			
8722FL	Methadone and Metabolite, Fluid			•	•				
8722SP	Methadone and Metabolite, Serum/Plasma			•	•	•			
8722TI	Methadone and Metabolite, Tissue			•					
8722U	Methadone and Metabolite, Urine			•	•				
3225B	Nuedexta®, Blood			•	•				
3225SP	Nuedexta®, Serum/Plasma			•	•	•			
10044B	Phencyclidine (Drug Impaired Driving-DRE Toxicology), Blood (Forensic) (CSA)			•	•	•			
10044SP	Phencyclidine (Drug Impaired Driving-DRE Toxicology), Serum/Plasma (Forensic) (CSA)			•	•	•			
8761ME	Phencyclidine (Qualitative), Meconium			•					
54007B	Phencyclidine Confirmation (Drug Impaired Driving/DRE Toxicology), Blood (Forensic)			•	•	•			
55049U	Phencyclidine Confirmation (Drug Impaired Driving/DRE Toxicology), Urine (Forensic) (CSA) IN/LA			•	•	•			
54007U	Phencyclidine Confirmation (Qualitative) (Drug Impaired Driving/DRE Toxicology), Urine (Forensic)			•	•	•			
5902H	Phencyclidine Confirmation (Qualitative), Hair			•					
5657ME	Phencyclidine Confirmation (Qualitative), Meconium			•					
5704ME	Phencyclidine Confirmation (Qualitative), Meconium			•					
52259U	Phencyclidine Confirmation (Qualitative), Urine (CSA)			•	•	•			
52464B	Phencyclidine Confirmation, Blood			•	•	•			
5657B	Phencyclidine Confirmation, Blood			•	•	•			



Effective Date:  
Monday, September 14, 2015

## Test Updates

Test Code	Test Name	Test Name	Method / CPT Code	Specimen Req.	Stability	Scope	Units	Reference Comments	Discontinue
52312B	Phencyclidine Confirmation, Blood (CSA)			•	•	•			
50017B	Phencyclidine Confirmation, Blood (Forensic)			•	•	•			
5657FL	Phencyclidine Confirmation, Fluid			•	•				
50017FL	Phencyclidine Confirmation, Fluid (Forensic)			•					
52464FL	Phencyclidine Confirmation, Fluid (Forensic)			•	•				
52464SP	Phencyclidine Confirmation, Serum/Plasma			•	•	•			
5657SP	Phencyclidine Confirmation, Serum/Plasma			•	•	•			
50017SP	Phencyclidine Confirmation, Serum/Plasma (Forensic)			•	•	•			
5657TI	Phencyclidine Confirmation, Tissue			•					
50017TI	Phencyclidine Confirmation, Tissue (Forensic)			•					
52464TI	Phencyclidine Confirmation, Tissue (Forensic)			•					
5657U	Phencyclidine Confirmation, Urine			•	•	•			
50017U	Phencyclidine Confirmation, Urine (Forensic)			•	•	•			
52464U	Phencyclidine Confirmation, Urine (Forensic)			•	•	•			
8761B	Phencyclidine, Blood			•	•	•			
8761FL	Phencyclidine, Fluid			•	•				
8761SP	Phencyclidine, Serum/Plasma			•	•	•			
8761TI	Phencyclidine, Tissue			•					
8761U	Phencyclidine, Urine			•	•	•			
10078U	Tox Panel, Urine (CSA)			•	•				



## Test Updates

### Test Changes

#### 5495B Dextro/Levo Methorphan Confirmation, Blood

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Methods/CPT Codes were changed [LC-MS/MS (80362)]

---

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate), Lavender top tube (EDTA)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Scope of Analysis: LC-MS/MS (80362): Dextro / Levo Methorphan  
Method (CPT Code)

#### 5495SP Dextro/Levo Methorphan Confirmation, Serum/Plasma

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Specimen Requirements (Special Handling) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80362)]

---

Specimen Requirements: 1 mL Serum or Plasma  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: Serum: Collect sample in Red top tube  
Plasma: Collect sample in Lavender top tube (EDTA) or Pink top tube.  
Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.  
Rejection Criteria: Polymer gel separation tube (SST or PST).  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 18 month(s)  
Scope of Analysis: LC-MS/MS (80362): Dextro / Levo Methorphan  
Method (CPT Code)

#### 9205B Dextro/Levo Methorphan Screen, Blood

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Methods/CPT Codes were changed [LC-MS/MS (80304)]

---



## Test Updates

### Test Changes

Specimen Requirements: 2 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate), Lavender top tube (EDTA)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Scope of Analysis: LC-MS/MS (80304): Dextro / Levo Methorphan  
Method (CPT Code)

#### 9205SP Dextro/Levo Methorphan Screen, Serum/Plasma

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Specimen Requirements (Special Handling) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80304)]

Specimen Requirements: 2 mL Serum or Plasma  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: Serum: Collect sample in Red top tube  
Plasma: Collect sample in Lavender top tube (EDTA) or Pink top tube.  
Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.  
Rejection Criteria: Polymer gel separation tube (SST or PST).  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 18 month(s)  
Scope of Analysis: LC-MS/MS (80304): Dextro / Levo Methorphan  
Method (CPT Code)

#### 2915B Dextro/Levo Methorphan, Blood

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Methods/CPT Codes were changed [LC-MS/MS (80362)]

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate), Lavender top tube (EDTA)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None



## Test Updates

### Test Changes

Scope of Analysis: LC-MS/MS (80362): Dextro / Levo Methorphan  
Method (CPT Code)

#### 2915FL Dextro/Levo Methorphan, Fluid

Summary of Changes: Specimen Requirements were changed.  
Methods/CPT Codes were changed [LC-MS/MS (80362)]

Specimen Requirements: 1 mL Fluid  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Scope of Analysis: LC-MS/MS (80362): Dextro / Levo Methorphan  
Method (CPT Code)

#### 2915SP Dextro/Levo Methorphan, Serum/Plasma

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Specimen Requirements (Special Handling) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80362)]

Specimen Requirements: 1 mL Serum or Plasma  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: Serum: Collect sample in Red top tube  
Plasma: Collect sample in Lavender top tube (EDTA) or Pink top tube.  
Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.  
Rejection Criteria: Polymer gel separation tube (SST or PST).  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 18 month(s)  
Scope of Analysis: LC-MS/MS (80362): Dextro / Levo Methorphan  
Method (CPT Code)

#### 2915TI Dextro/Levo Methorphan, Tissue

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (80362)]

Scope of Analysis: LC-MS/MS (80362): Dextro / Levo Methorphan  
Method (CPT Code)



## Test Updates

### Test Changes

#### 54324B Methadone Confirmation (Drug Impaired Driving/DRE Toxicology), Blood (Forensic) (CSA)

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate), Lavender top tube (EDTA)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 30 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone  
Method (CPT Code)

#### 55060U Methadone Confirmation (Drug Impaired Driving/DRE Toxicology), Urine (Forensic) (CSA) IN/LA

Summary of Changes: Specimen Requirements (Specimen Container) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 14 day(s)  
Refrigerated: 14 day(s)  
Frozen (-20 °C): 4 month(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone  
Method (CPT Code)

#### 5907H Methadone Confirmation (Qualitative), Hair

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Scope of Analysis: LC-MS/MS (80358): Methadone  
Method (CPT Code) LC-MS/MS (None):

#### 10038B Methadone and Metabolite (Drug Impaired Driving-DRE Toxicology), Blood (Forensic) (CSA)





## Test Updates

### Test Changes

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate), Lavender top tube (EDTA)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### **10038SP Methadone and Metabolite (Drug Impaired Driving-DRE Toxicology), Serum/Plasma (Forensic) (CSA)**

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Specimen Requirements (Rejection Criteria) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Serum or Plasma  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: Serum: Collect sample in Red top tube  
Plasma: Collect sample in Lavender top tube (EDTA) or Pink top tube.  
Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.  
Rejection Criteria: Received Room Temperature. Polymer gel separation tube (SST or PST).  
Stability: Room Temperature: 2 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 29 day(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### **2760ME Methadone and Metabolite (Qualitative), Meconium**

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)



## Test Updates

### Test Changes

#### **54005B Methadone and Metabolite Confirmation (Drug Impaired Driving/DRE Toxicology), Blood (Forensic)**

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate), Lavender top tube (EDTA)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### **55047U Methadone and Metabolite Confirmation (Drug Impaired Driving/DRE Toxicology), Urine (Forensic) (CSA) IN/LA**

Summary of Changes: Specimen Requirements (Specimen Container) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 14 day(s)  
Refrigerated: 14 day(s)  
Frozen (-20 °C): 4 month(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### **54005U Methadone and Metabolite Confirmation (Qualitative) (Drug Impaired Driving/DRE Toxicology), Urine (Forensic)**

Summary of Changes: Specimen Requirements (Specimen Container) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---



## Test Updates

### Test Changes

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 14 day(s)  
Refrigerated: 14 day(s)  
Frozen (-20 °C): 4 month(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### **5682ME Methadone and Metabolite Confirmation (Qualitative), Meconium**

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### **52257U Methadone and Metabolite Confirmation (Qualitative), Urine (CSA)**

Summary of Changes: Specimen Requirements (Specimen Container) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 14 day(s)  
Refrigerated: 14 day(s)  
Frozen (-20 °C): 4 month(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### **52309B Methadone and Metabolite Confirmation, Blood (CSA)**

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---



## Test Updates

### Test Changes

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate), Lavender top tube (EDTA)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 50015B Methadone and Metabolite Confirmation, Blood (Forensic)

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate), Lavender top tube (EDTA)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 5682B Methadone and Metabolite Confirmation, Blood

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate), Lavender top tube (EDTA)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None



## Test Updates

### Test Changes

Stability: Room Temperature: 7 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 50015FL Methadone and Metabolite Confirmation, Fluid (Forensic)

Summary of Changes: Specimen Requirements were changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Fluid  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 5682FL Methadone and Metabolite Confirmation, Fluid

Summary of Changes: Specimen Requirements were changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Fluid  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 50015SP Methadone and Metabolite Confirmation, Serum/Plasma (Forensic)

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Specimen Requirements (Special Handling) were changed.  
Specimen Requirements (Rejection Criteria) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---



## Test Updates

### Test Changes

Specimen Requirements: 1 mL Serum or Plasma  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: Serum: Collect sample in Red top tube  
Plasma: Collect sample in Lavender top tube (EDTA) or Pink top tube.  
Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.  
Rejection Criteria: Received Room Temperature. Polymer gel separation tube (SST or PST).  
Stability: Room Temperature: 2 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 29 day(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 5682SP Methadone and Metabolite Confirmation, Serum/Plasma

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Specimen Requirements (Special Handling) were changed.  
Specimen Requirements (Rejection Criteria) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

Specimen Requirements: 1 mL Serum or Plasma  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: Serum: Collect sample in Red top tube  
Plasma: Collect sample in Lavender top tube (EDTA) or Pink top tube.  
Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.  
Rejection Criteria: Received Room Temperature. Polymer gel separation tube (SST or PST).  
Stability: Room Temperature: 2 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 29 day(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 50015TI Methadone and Metabolite Confirmation, Tissue (Forensic)

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (80358)]

Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)



## Test Updates

### Test Changes

#### 5682TI Methadone and Metabolite Confirmation, Tissue

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (80358)]

Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 50015U Methadone and Metabolite Confirmation, Urine (Forensic)

Summary of Changes: Specimen Requirements (Specimen Container) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 14 day(s)  
Refrigerated: 14 day(s)  
Frozen (-20 °C): 4 month(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 5682U Methadone and Metabolite Confirmation, Urine

Summary of Changes: Specimen Requirements (Specimen Container) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 14 day(s)  
Refrigerated: 14 day(s)  
Frozen (-20 °C): 4 month(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 8722B Methadone and Metabolite, Blood



## Test Updates

### Test Changes

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate), Lavender top tube (EDTA)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 8722FL Methadone and Metabolite, Fluid

Summary of Changes: Specimen Requirements were changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Fluid  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 8722SP Methadone and Metabolite, Serum/Plasma

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Specimen Requirements (Special Handling) were changed.  
Specimen Requirements (Rejection Criteria) were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---





## Test Updates

### Test Changes

Specimen Requirements: 1 mL Serum or Plasma  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: Serum: Collect sample in Red top tube  
Plasma: Collect sample in Lavender top tube (EDTA) or Pink top tube.  
Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.  
Rejection Criteria: Received Room Temperature. Polymer gel separation tube (SST or PST).  
Stability: Room Temperature: 2 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 29 day(s)  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 8722TI Methadone and Metabolite, Tissue

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 8722U Methadone and Metabolite, Urine

Summary of Changes: Specimen Requirements (Specimen Container) were changed.  
Methods/CPT Codes were changed [LC-MS/MS (80358)]

---

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Scope of Analysis: LC-MS/MS (80358): Methadone, EDDP  
Method (CPT Code)

#### 3225B Nuedexta®, Blood

Summary of Changes: Specimen Requirements were changed.  
Specimen Requirements (Specimen Container) were changed.  
Methods/CPT Codes were changed [LC-MS/MS (80362)]



## Test Updates

### Test Changes

Specimen Requirements: 2 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate), Lavender top tube (EDTA)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Scope of Analysis: LC-MS/MS (80194): Quinidine  
Method (CPT Code) LC-MS/MS (80362): Dextro / Levo Methorphan

#### **3225SP Nuedexta®, Serum/Plasma**

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (80362)]

---

Specimen Requirements: 2 mL Serum or Plasma  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: Serum: Collect sample in Red top tube  
Plasma: Collect sample in Lavender top tube (EDTA) or Pink top tube.  
Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.  
Rejection Criteria: Polymer gel separation tube (SST or PST).  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 18 month(s)  
Scope of Analysis: LC-MS/MS (80194): Quinidine  
Method (CPT Code) LC-MS/MS (80362): Dextro / Levo Methorphan

#### **10044B Phencyclidine (Drug Impaired Driving-DRE Toxicology), Blood (Forensic) (CSA)**

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None



## Test Updates

### Test Changes

Stability: Room Temperature: 14 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 10044SP Phencyclidine (Drug Impaired Driving-DRE Toxicology), Serum/Plasma (Forensic) (CSA)

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 1 mL Serum or Plasma  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: Serum: Collect sample in Red top tube  
Plasma: Collect sample in Lavender top tube (EDTA) or Pink top tube.  
Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.  
Rejection Criteria: Polymer gel separation tube (SST or PST).  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 12 month(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 8761ME Phencyclidine (Qualitative), Meconium

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 54007B Phencyclidine Confirmation (Drug Impaired Driving/DRE Toxicology), Blood (Forensic)

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None



## Test Updates

### Test Changes

Stability: Room Temperature: 14 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### **55049U Phencyclidine Confirmation (Drug Impaired Driving/DRE Toxicology), Urine (Forensic) (CSA) IN/LA**

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 29 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 29 day(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### **54007U Phencyclidine Confirmation (Qualitative) (Drug Impaired Driving/DRE Toxicology), Urine (Forensic)**

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 29 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 29 day(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### **5902H Phencyclidine Confirmation (Qualitative), Hair**



## Test Updates

### Test Changes

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code) LC-MS/MS (None):

#### 5657ME Phencyclidine Confirmation (Qualitative), Meconium

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 5704ME Phencyclidine Confirmation (Qualitative), Meconium

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 52259U Phencyclidine Confirmation (Qualitative), Urine (CSA)

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 29 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 29 day(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 52312B Phencyclidine Confirmation, Blood (CSA)

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---



## Test Updates

### Test Changes

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 14 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 50017B Phencyclidine Confirmation, Blood (Forensic)

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 14 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 52464B Phencyclidine Confirmation, Blood

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None



## Test Updates

### Test Changes

Stability: Room Temperature: 14 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 5657B Phencyclidine Confirmation, Blood

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 14 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 50017FL Phencyclidine Confirmation, Fluid (Forensic)

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (83992)]

Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 52464FL Phencyclidine Confirmation, Fluid (Forensic)

Summary of Changes: Specimen Requirements were changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

Specimen Requirements: 1 mL Fluid  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 5657FL Phencyclidine Confirmation, Fluid



Effective Date:  
Monday, September 14, 2015

## Test Updates

### Test Changes

Summary of Changes: Specimen Requirements were changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 1 mL Fluid  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 50017SP Phencyclidine Confirmation, Serum/Plasma (Forensic)

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 1 mL Serum or Plasma  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: Serum: Collect sample in Red top tube  
Plasma: Collect sample in Lavender top tube (EDTA) or Pink top tube.  
Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.  
Rejection Criteria: Polymer gel separation tube (SST or PST).  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 12 month(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 52464SP Phencyclidine Confirmation, Serum/Plasma

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---





## Test Updates

### Test Changes

Specimen Requirements: 1 mL Serum or Plasma  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: Serum: Collect sample in Red top tube  
Plasma: Collect sample in Lavender top tube (EDTA) or Pink top tube.  
Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.  
Rejection Criteria: Polymer gel separation tube (SST or PST).  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 12 month(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 5657SP Phencyclidine Confirmation, Serum/Plasma

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

Specimen Requirements: 1 mL Serum or Plasma  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: Serum: Collect sample in Red top tube  
Plasma: Collect sample in Lavender top tube (EDTA) or Pink top tube.  
Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.  
Rejection Criteria: Polymer gel separation tube (SST or PST).  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 12 month(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 50017TI Phencyclidine Confirmation, Tissue (Forensic)

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (83992)]

Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 52464TI Phencyclidine Confirmation, Tissue (Forensic)



## Test Updates

### Test Changes

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 5657TI Phencyclidine Confirmation, Tissue

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 50017U Phencyclidine Confirmation, Urine (Forensic)

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 29 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 29 day(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 52464U Phencyclidine Confirmation, Urine (Forensic)

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 29 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 29 day(s)



## Test Updates

### Test Changes

Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 5657U Phencyclidine Confirmation, Urine

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 29 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 29 day(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 8761B Phencyclidine, Blood

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

Specimen Requirements: 1 mL Blood  
Transport Temperature: Refrigerated  
Specimen Container: Gray top tube (Sodium Fluoride / Potassium Oxalate)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 14 day(s)  
Refrigerated: 30 day(s)  
Frozen (-20 °C): 30 day(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 8761FL Phencyclidine, Fluid

Summary of Changes: Specimen Requirements were changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]



## Test Updates

### Test Changes

Specimen Requirements: 1 mL Fluid  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 8761SP Phencyclidine, Serum/Plasma

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 1 mL Serum or Plasma  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: Serum: Collect sample in Red top tube  
Plasma: Collect sample in Lavender top tube (EDTA) or Pink top tube.  
Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.  
Rejection Criteria: Polymer gel separation tube (SST or PST).  
Stability: Room Temperature: 7 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 12 month(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 8761TI Phencyclidine, Tissue

Summary of Changes: Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 8761U Phencyclidine, Urine

Summary of Changes: Specimen Requirements were changed.  
Stability was changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---



## Test Updates

### Test Changes

Specimen Requirements: 1 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Stability: Room Temperature: 29 day(s)  
Refrigerated: 29 day(s)  
Frozen (-20 °C): 29 day(s)  
Scope of Analysis: LC-MS/MS (83992): Phencyclidine  
Method (CPT Code)

#### 10078U Tox Panel, Urine (CSA)

Summary of Changes: Specimen Requirements were changed.  
Methods/CPT Codes were changed [LC-MS/MS (83992)]

---

Specimen Requirements: 9 mL Urine  
Transport Temperature: Refrigerated  
Specimen Container: Plastic container (preservative-free)  
Light Protection: Not Required  
Special Handling: None  
Rejection Criteria: None  
Scope of Analysis: LC-MS/MS (80347): Oxazepam  
Method (CPT Code) GC/MS (80353): Benzoyllecgonine  
LC-MS/MS (80324): Methamphetamine  
Headspace GC (80320): Ethanol  
GC/MS (80368): Methaqualone, Propoxyphene  
LC-MS/MS (83992): Phencyclidine  
GC/MS (80345): Secobarbital  
GC/MS (80349): Delta-9 Carboxy THC