



Effective Date:  
Monday, March 20, 2017

## Test Updates

### Immediate Action

In our continuing effort to provide you with the highest quality toxicology laboratory services available, we have compiled important changes regarding a number of tests we perform. Listed below are the types of changes that may be included in this notification, effective Monday, March 20, 2017

---

**Test Changes** - Tests that have had changes to the method/ CPT code, units of measurement, scope of analysis, reference comments, or specimen requirements.

**Discontinued Tests** - Tests being discontinued with alternate testing suggestions.

---

Please use this information to update your computer systems/records. These changes are important to ensure standardization of our mutual laboratory databases.

If you have any questions about the information contained in this notification, please call our Client Support Department at (866) 522-2206. Thank you for your continued support of NMS Labs and your assistance in implementing these changes.

The CPT Codes provided in this document are based on AMA guidelines and are for informational purposes only. NMS Labs does not assume responsibility for billing errors due to reliance on the CPT Codes listed in this document.



Effective Date:

Monday, March 20, 2017

## Test Updates

Test Code	Test Name	Test Name	Method / CPT Code	Specimen Req.	Stability	Scope	Units	Reference Comments	Discontinue
9022B	Antidepressants Screen - Expanded, Blood								•
9022U	Antidepressants Screen - Expanded, Urine								•



Effective Date:

Monday, March 20, 2017

## Test Updates

### Discontinued Tests

Test Code	Test Name	Alternative Test
9022B	Antidepressants Screen - Expanded, Blood	1876B - Drug Screen - Expanded, Blood 8152B - DUID/DRE Expanded Drug Screen Add-On ProofPOSITIVE®, Blood (Forensic)
9022U	Antidepressants Screen - Expanded, Urine	1876U - Drug Screen - Expanded, Urine