NMS Labs
3701 Welsh Road, PO Box 433A, Willow Grove, PA 19090-0437
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, DABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 09/09/2011 14:40
Last Report Issued 11/22/2010 13:39

88888
Clinical Dummy reports
Attn: IT Department
3701 Welsh Road
Willow Grove, PA 19090

Patient Name 0638B-POS
Patient ID 0638B-POS
Chain 10002400
Age Not Given **Gender** Not Given

Workorder 10002400

Received 11/22/2010 13:28

Sample ID 10002400-001
Matrix Blood
Patient Name 0638B-POS
Patient ID 0638B-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
0638B Beryllium, Blood				
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)				
Beryllium	100	mcg/L	1.0	
Reference Range: Less than 0.5 mcg/L.				