NMS Labs
3701 Welsh Road, PO Box 433A, Willow Grove, PA 19090-0437
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, DABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 11/28/2011 06:49
Last Report Issued 10/25/2011 09:00

88888
Clinical Dummy reports
Attn: IT Department
3701 Welsh Road
Willow Grove, PA 19090

Patient Name 0711SP-POS
Patient ID 0711SP-POS
Chain 11003232
Age Not Given **Gender** Not Given

Workorder 11003232

Received 10/25/2011 08:44

Sample ID 11003232-001
Matrix Serum or Plasma
Patient Name 0711SP-POS
Patient ID 0711SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
0711SP Boron, Serum/Plasma				
Analysis by Inductively Coupled Plasma/Optical Emission Spectrometry (ICP/OES)				
Boron	2000	mcg/L	200	ELEVATED
Normally: Less than 100 mcg/L.				