



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 04/21/2022 16:34  
**Last Report Issued** 12/12/2016 08:07

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 1002B-POS  
**Patient ID** 1002B-POS  
**Chain** 16001570  
**DOB** Not Given  
**Sex** Not Given  
**Workorder** 16001570  
**Received** 12/09/2016

**Lab ID** 16001570-001  
**Matrix** Blood  
**Patient Name** 1002B-POS  
**Patient ID** 1002B-POS  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**1002B Carbon Monoxide Exposure Biouptake Screen, Blood**

Analysis by Spectrophotometry (SP)

Carboxyhemoglobin	See Comment	%Saturation	5	
Synonym(s):	COHb			

Comment: Based on this screening result, confirmation testing was performed. Refer to the confirmation test result(s).

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

**5654B Carbon Monoxide Exposure Biouptake Confirmation, Blood**

Analysis by Gas Chromatography/Mass Spectrometry (GC/MS)

Carboxyhemoglobin	62	%Saturation	2	
Synonym(s):	COHb			

Results for sample 16001570-001 are continued on next page



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Lab ID** 16001570-001  
**Matrix** Blood  
**Patient Name** 1002B-POS  
**Patient ID** 1002B-POS

**Collect Dt/Tm** Not Given  
**Source** Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

Normal:  
 Nonsmokers up to 3.5%  
 Smokers up to 8%  
 Toxic symptoms above 10%  
 Biological Exposure Index (ACGIH):  
 Less than 3.5% measured in an end of shift Blood.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.