



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:39
Last Report Issued 02/26/2020 13:45

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1005B
Patient ID 1005B
Chain 20000249
Age Not Given DOB Not Given
Gender Not Given
Workorder 20000249
Received 02/14/2020 11:22

Sample ID 20000249-001
Matrix Blood
Patient Name 1005B
Patient ID 1005B
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

1005B Carbon Monoxide Profile, Blood

Analysis by Spectrophotometry (SP)

Table with 4 columns: Carboxyhemoglobin, None Detected, %Saturation, 5. Includes synonym(s): COHb

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

5738B Carbon Monoxide Confirmation, Blood

Analysis by Gas Chromatography/Mass Spectrometry (GC/MS)

Table with 4 columns: Carboxyhemoglobin, 37, %Saturation, 2. Includes synonym(s): COHb

Normal:
Nonsmokers up to 3.5%
Smokers up to 8%
Toxic symptoms above 10%
Biological Exposure Index (ACGIH):
Less than 3.5% measured in an end of shift Blood.

Results for sample 20000249-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208

Phone: (215) 657-4900 Fax: (215) 657-2972

e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Sample ID 20000249-001

Matrix Blood

Patient Name 1005B

Patient ID 1005B

Collect Dt/Tm Not Given

Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
------------------------------	---------------	--------------	------------------------	--------------

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.