



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 03/30/2020 11:41  
**Last Report Issued** 12/12/2016 07:51

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 1009B  
**Patient ID** 1009B  
**Chain** 16001577  
**Age** Not Given **DOB** Not Given  
**Gender** Not Given  
**Workorder** 16001577  
**Received** 12/09/2016 12:04

**Sample ID** 16001577-001  
**Matrix** Blood  
**Patient Name** 1009B  
**Patient ID** 1009B  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**1009B Carbon Monoxide Exposure, Blood**

Analysis by Gas Chromatography/Mass Spectrometry (GC/MS)

Carboxyhemoglobin	100	%Saturation	2	
Synonym(s): COHb				

Normal:  
Nonsmokers up to 3.5%  
Smokers up to 8%  
Toxic symptoms above 10%  
Biological Exposure Index (ACGIH):  
Less than 3.5% measured in an end of shift Blood.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.