NMS Labs
3701 Welsh Road, PO Box 433A, Willow Grove, PA 19090-0437
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, DABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 07/28/2014 08:59
Last Report Issued 06/20/2014 10:17

88888
Clinical Example Report
Attn: IT Department
3701 Welsh Road
Willow Grove, PA 19090

Patient Name 1042U
Patient ID 1042U
Chain 14001703
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 14001703

Received 06/20/2014 09:08

Sample ID 14001703-001
Matrix Urine
Patient Name 1042U
Patient ID 1042U
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
1042U Cesium, Urine				
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)				
Cesium	None Detected	mcg/L	1.0	
Normally: Less than 12 mcg/L.				