



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:49
Last Report Issued 06/25/2013 08:04

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1190SP
Patient ID 1190SP
Chain 13002424
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 13002424
Received 06/24/2013 13:25

Sample ID 13002424-001
Matrix Serum or Plasma
Patient Name 1190SP
Patient ID 1190SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1190SP Chlorpheniramine, Serum/Plasma

Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Chlorpheniramine	None Detected	ng/mL	10	
Synonym(s): Chlor-Trimeton®				

Peak concentrations of 10 ng/mL chlorpheniramine were obtained 3 hours following single oral administration of 8 mg. Toxic effects have been reported in adults at concentrations greater than 400 ng/mL in serum.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.