



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:50
Last Report Issued 01/30/2013 14:50

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1250B
Patient ID 1250B
Chain 13000590
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 13000590
Received 01/30/2013 12:01

Sample ID 13000590-001
Matrix Blood
Patient Name 1250B
Patient ID 1250B
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1250B Chlorthalidone, Blood

Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Chlorthalidone	None Detected	ng/mL	25	
----------------	---------------	-------	----	--

Synonym(s): Hygroton®; Thalitone®

Peak plasma concentrations following chronic 50 mg oral administration of chlorthalidone ranged from 280 - 1400 ng/mL (average 710 ng/mL). The blood to plasma ratio of chlorthalidone is concentration dependent and ranges from 10 to 30.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.