



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 05/14/2021 14:05  
**Last Report Issued** 05/14/2021 14:05

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 1267U  
**Patient ID** 1267U  
**Chain 1**  
**Age** Not Given **DOB** Not Given  
**Gender** Not Given  
**Workorder** 08001889  
**Received** 07/15/2008 10:41

**Sample ID** 08001889-001  
**Matrix** Urine  
**Patient Name** 1267U  
**Patient ID** 1267U  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**1267U Clobazam, Urine**

Analysis by High Performance Liquid Chromatography/  
Tandem Mass Spectrometry (LC-MS/MS)

Clobazam	None Detected	ng/mL	20	
Synonym(s): Frisium®; Urbanyl®				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.