



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 03/30/2020 11:52  
**Last Report Issued** 03/14/2019 08:55

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 1268SP  
**Patient ID** 1268SP  
**Chain 1**  
**Age** Not Given **DOB** Not Given  
**Gender** Not Given  
**Workorder** 03009148  
**Received** 11/15/2003 00:22

**Sample ID** 03009148-001  
**Matrix** Serum or Plasma  
**Patient Name** 1268SP  
**Patient ID** 1268SP  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**1268SP Clomipramine and Metabolite, Serum/Plasma**

Analysis by Gas Chromatography (GC)

Clomipramine Synonym(s): Anafranil®	None Detected	ng/mL	10	
Desmethylclomipramine Synonym(s): Clomipramine Metabolite	None Detected	ng/mL	10	

The plasma concentrations of Clomipramine and metabolite vary widely between patients. The suggested antidepressant range for the sum of Clomipramine plus Desmethylclomipramine: 200 - 500 ng/mL plasma.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.