



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:53
Last Report Issued 11/02/2010 08:26

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1272SP
Patient ID 1272SP
Chain 10002232
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 10002232
Received 11/02/2010 08:21

Sample ID 10002232-001
Matrix Serum or Plasma
Patient Name 1272SP
Patient ID 1272SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1272SP Citalopram, Serum/Plasma

Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Citalopram / Escitalopram Synonym(s): Celexa®/Lexapro®	None Detected	ng/mL	5.0	
---	---------------	-------	-----	--

Steady-state serum or plasma levels from patients on a daily regimen of 30 to 60 mg Citalopram: 9 - 200 ng/mL.

This test is not Chiral specific. Patients who have taken Escitalopram (Lexapro®), as opposed to Racemic Citalopram (Celexa®), within the past 3 days may have falsely elevated values.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.