



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 03/30/2020 11:57

**88888**

Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 1348U

**Patient ID** 1348U

**Chain** 12001189

**Age** Not Given **DOB** Not Given

**Gender** Not Given

**Workorder** 12001189

**Received** 05/22/2012 08:38

**Sample ID** 12001189-001

**Matrix** Urine

**Patient Name** 1348U

**Patient ID** 1348U

**Container Type** Clear vial

**Collect Dt/Tm** Not Given

**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

| Analysis and Comments | Result | Units | Reporting Limit | Notes |
|-----------------------|--------|-------|-----------------|-------|
|-----------------------|--------|-------|-----------------|-------|

**1348U Creatinine, Urine**

Analysis by Colorimetry (C)

|            |      |      |     |  |
|------------|------|------|-----|--|
| Creatinine | 1000 | mg/L | 100 |  |
|------------|------|------|-----|--|

U.S. Population (10th - 90th percentiles, median)  
 All participants:  
 335 - 2370 mg/L, median 1180 (n=22,245)  
 Males: 495 - 2540 mg/L, median 1370 (n=10,610)  
 Females: 273 - 2170 mg/L, median 994 (n=11,635)

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.