



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:58
Last Report Issued 10/02/2014 11:36

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1352U-POS
Patient ID 1352U-POS
Chain 14002815
Age Not Given DOB Not Given
Gender Not Given
Workorder 14002815
Received 10/02/2014 10:15

Sample ID 14002815-001
Matrix Urine
Patient Name 1352U-POS
Patient ID 1352U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes. Contains data for 1352U o-Cresol, Urine analysis by Gas Chromatography (GC) and Colorimetry (C).

Results for sample 14002815-001 are continued on next page



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Sample ID** 14002815-001  
**Matrix** Urine  
**Patient Name** 1352U-POS  
**Patient ID** 1352U-POS

**Collect Dt/Tm** Not Given  
**Source** Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

**6022U Specific Gravity Confirmation, Urine**

Analysis by Refractometer (REF)

Specific Gravity	1.000
Physiologic range: 1.010 - 1.030.	

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.