



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 06/07/2021 07:02
Last Report Issued 01/12/2021 10:07

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1439SP-POS
Patient ID 1439SP-POS
Chain 21000097
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 21000097
Received 01/12/2021 10:05

Sample ID 21000097-001
Matrix Serum or Plasma
Patient Name 1439SP-POS
Patient ID 1439SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes (1) Not light protected as required (2) Not frozen as required

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1439SP Dantrolene, Serum/Plasma

Analysis by Spectrofluorometry (SF)

Dantrolene	5.0	mcg/mL	0.20	
Synonym(s): Dantrium®				
Spasticity therapeutic range: 0.1 - 0.6 mcg/mL				
Malignant hyperthermia therapeutic range: 2 - 3 mcg/mL				
Toxic effects of dantrolene include loss of appetite, constipation, hepatitis, visual disturbances, headache, tachycardia, confusion and nervousness.				

Sample receipt condition is inappropriate for test code: Not light protected as required

Sample receipt condition is inappropriate for test code: Not frozen as required

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.