



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 12:01
Last Report Issued 03/13/2013 06:32

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1515B-POS
Patient ID 1515B-POS
Chain 13001134
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 13001134
Received 03/13/2013 06:28

Sample ID 13001134-001
Matrix Blood
Patient Name 1515B-POS
Patient ID 1515B-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1515B Diazoxide, Blood

Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Diazoxide	3000	ng/mL	1000	
-----------	------	-------	------	--

Synonym(s): Proglycem®; Hyperstat®

Plateau plasma concentrations following 300 mg intravenous injection of diazoxide ranged from 15000 to 25000 ng/mL.

The blood to plasma ratio of diazoxide is not known.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.