



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 12:01
Last Report Issued 12/21/2015 13:54

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1549U-POS
Patient ID 1549U-POS
Chain 15002825
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 15002825
Received 12/21/2015 13:42

Sample ID 15002825-001
Matrix Urine
Patient Name 1549U-POS
Patient ID 1549U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes Not frozen as required

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1549U Dichlorobenzidine, Urine

Analysis by Gas Chromatography/Mass Spectrometry (GC/MS)

Dichlorobenzidine Synonym(s): DCB	50	ng/mL	0.20	
--------------------------------------	----	-------	------	--

Dichlorobenzidine is a probable human carcinogen and may be used outside of the US to manufacture colorants. Workers in a chemical plant producing dichlorobenzidine dihydrochloride had urine dichlorobenzidine concentrations ranging from less than 2 to 850 ng/mL.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.