



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 12:03
Last Report Issued 02/13/2004 09:53

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1580SP
Patient ID 1580SP
Chain 5
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 04001324
Received 02/13/2004 08:14

Sample ID 04001324-001
Matrix Serum or Plasma
Patient Name 1580SP
Patient ID 1580SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1580SP Dieldrin, Serum/Plasma

Analysis by Gas Chromatography (GC)

Dieldrin	None Detected	ppb	1.0	
Synonym(s): Aldrin Metabolite				
Normal: Up to 4 ppb				
Occupational exposure: Up to 30 ppb				
Acutely toxic: Greater than 200 ppb.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.