NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**CONFIDENTIAL**

## Demo Report

**Report Issued** 03/30/2020 12:03
**Last Report Issued** 05/11/2011 12:09

**88888**
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

**Patient Name** 1589B
**Patient ID** 1589B
**Chain** 11000978
**Age** Not Given **DOB** Not Given
**Gender** Not Given
**Workorder** 11000978

**Received** 05/11/2011 11:49

---

**Sample ID** 11000978-001
**Matrix** Blood
**Patient Name** 1589B
**Patient ID** 1589B
**Container Type** Clear vial

**Collect Dt/Tm** Not Given
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

| Analysis and Comments | Result | Units | Reporting Limit | Notes |
|---|---|---|---|---|
| **1589B Diethylene Glycol, Blood** | | | | |
| Analysis by Gas Chromatography (GC) | | | | |
| Diethylene Glycol | None Detected | mg/dL | 5.0 | |
| Normal range: None Detected | | | | |

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.