



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 05/14/2021 17:07

**Last Report Issued** 05/14/2021 17:07

**88888**

Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 1615TI-POS

**Patient ID** 1615TI-POS

**Chain** 20000256

**Age** Not Given **DOB** Not Given

**Gender** Not Given

**Workorder** 20000256

**Received** 02/14/2020 11:24

**Sample ID** 20000256-001

**Matrix** Tissue

**Patient Name** 1615TI-POS

**Patient ID** 1615TI-POS

**Container Type** Clear vial

**Collect Dt/Tm** Not Given

**Source** Abdominal

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Tissue specimen required homogenization: 20000256-001

No testing performed on this sample.



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Sample ID** 20000256-002  
**Matrix** Tissue  
**Patient Name** 1615TI-POS  
**Patient ID** 1615TI-POS  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Abdominal

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

NMS Labs generated homogenized Tissue sample: 20000256-002

Analysis and Comments	Result	Units	Reporting Limit	Notes
<b>1615TI Digoxin, Tissue</b>				
Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)				
Digoxin	2000	ng/g	100	
Synonym(s): Lanoxicaps®; Lanoxin®				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.