



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 12:04
Last Report Issued 03/14/2019 08:57

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1690B
Patient ID 1690B
Chain 06008039
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 06008039
Received 06/19/2006 13:02

Sample ID 06008039-001
Matrix Blood
Patient Name 1690B
Patient ID 1690B
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1690B Dimethylsulfoxide, Blood

Analysis by Gas Chromatography (GC)

Dimethylsulfoxide	None Detected	mg/dL	1.0	
Synonym(s): DMSO				

Peak serum levels 1 to 4 hours after oral administration of DMSO results in concentrations of 103 - 338 mg/dL.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.