NMS Labs
3701 Welsh Road, PO Box 433A, Willow Grove, PA 19090-0437
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, DABFT, DABCC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 11/17/2006 10:57
Last Report Issued 08/02/2006 13:34

88888
IS TESTING ACCOUNT
Attn: IS Department
3701 Welsh Road
Willow Grove, PA 19090

Patient Name 1790SP-POS
Patient ID 1790SP-POS
Chain 06008114
Age Not Given **Gender** Not Given

Workorder 06008114

Received 06/19/2006 15:02

Sample ID 06008114-001
Matrix Serum or Plasma
Patient Name 1790SP-POS
Patient ID 1790SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes Not frozen as required

Analysis and Comments	Result	Units	Reporting Limit	Notes
1790SP Disulfiram (DEDTC Metabolite), Serum/Plasma				
Sample Receipt condition inappropriate for test code: [Not frozen as required]				
Analysis by Gas Chromatography (GC)				
Diethyldithiocarbamate	5000	mcg/mL	0.050	ELEVATED
Synonym(s): Disulfiram Metabolite				
Usual therapeutic range 0.3 - 1.5 mcg/mL. Note: Specimens must be frozen immediately after being drawn, and kept frozen. If specimens are not kept frozen, this may cause lower or negative result values.				