NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 03/30/2020 12:23
Last Report Issued 03/30/2004 11:55

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 2283SP-POS
Patient ID 2283SP-POS
Chain 5
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 04002794

Received 03/30/2004 10:57

Sample ID 04002794-001
Matrix Serum or Plasma
Patient Name 2283SP-POS
Patient ID 2283SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
2283SP Hexachlorobenzene, Serum/Plasma				
Analysis by Gas Chromatography (GC)				
Hexachlorobenzene	5000	ppb	1.0	ELEVATED
Synonym(s): Perchlorobenzene				
General population: Up to 2 ppb.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.