



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 12:28
Last Report Issued 08/05/2019 07:51

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 2412TI-POS
Patient ID 2412TI-POS
Chain 11002252
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 11002252
Received 09/23/2011 14:44

Sample ID 11002252-001
Matrix Tissue
Patient Name 2412TI-POS
Patient ID 2412TI-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Adipose Tissue (Fat)

Approx Vol/Weight Not Given

Receipt Notes None Entered

Tissue specimen required homogenization: 11002252-001

No testing performed on this sample.



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Sample ID 11002252-002
Matrix Tissue
Patient Name 2412TI-POS
Patient ID 2412TI-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Adipose Tissue (Fat)

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

2412TI Inhalants Panel, Alkane Gases, Tissue

Analysis by Gas Chromatography (GC)

Methane	500	ppm (v/w)	10	
Ethane	500	ppm (v/w)	2.0	
Propane	500	ppm (v/w)	2.0	
Isobutane	500	ppm (v/w)	2.0	
n-Butane	500	ppm (v/w)	2.0	

No reference data available.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.