NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**CONFIDENTIAL**

## Demo Report

**Report Issued** 03/30/2020 12:29
**Last Report Issued** 03/14/2019 09:50

**88888**
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

**Patient Name** 2421B-POS
**Patient ID** 2421B-POS
**Chain** 06008938
**Age** Not Given **DOB** Not Given
**Gender** Not Given
**Workorder** 06008938

**Received** 06/22/2006 13:45

---

**Sample ID** 06008938-001
**Matrix** Blood
**Patient Name** 2421B-POS
**Patient ID** 2421B-POS
**Container Type** Clear vial

**Collect Dt/Tm** Not Given
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

| Analysis and Comments | Result | Units | Reporting Limit | Notes |
|---|---|---|---|---|
| **2421B Inhalants Panel, Anesthetics, Blood** | | | | |
| Analysis by Gas Chromatography (GC) | | | | |
| Enflurane | 5000 | mcg/mL | 0.10 | ELEVATED |
| Synonym(s): Ethrane | | | | |
| Average peak venous blood concentrations after 30 minutes of anesthesia: 95 mcg/mL. | | | | |
| Halothane | 5000 | mcg/mL | 0.10 | |
| Synonym(s): Fluothane | | | | |
| Surgical anesthetic levels: 80 - 260 mcg/mL blood. | | | | |
| Isoflurane | 5000 | mcg/mL | 0.050 | |
| Synonym(s): Forane® | | | | |
| Average steady-state blood levels following inhalation for 1 hour at end-tidal air concentrations of 0.3, 0.6 or 1.15% were 20, 40 and 77 mcg/mL, respectively. | | | | |
| Methoxyflurane | 5000 | mcg/mL | 0.050 | |
| Analysis by Gas Chromatography/Mass Spectrometry (GC/MS) | | | | |
| Nitrous Oxide | 5000 | mcg/mL | 1.8 | |

Results for sample 06008938-001 are continued on next page

NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**CONFIDENTIAL**

**Sample ID** 06008938-001
**Matrix** Blood
**Patient Name** 2421B-POS
**Patient ID** 2421B-POS

**Collect Dt/Tm** Not Given
**Source** Not Given

| Analysis and Comments | Result | Units | Reporting Limit | Notes |
|---|---|---|---|---|
| Nitrous oxide is normally not detected in unexposed individuals. | | | | |

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.