



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 12:29
Last Report Issued 10/25/2011 09:02

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 2430SP-POS
Patient ID 2430SP-POS
Chain 11003242
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 11003242
Received 10/25/2011 08:47

Sample ID 11003242-001
Matrix Serum or Plasma
Patient Name 2430SP-POS
Patient ID 2430SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

2430SP Iron, Serum/Plasma

Analysis by Inductively Coupled Plasma/Optical Emission Spectrometry (ICP/OES)

Iron	200	mcg/dL	20	
------	-----	--------	----	--

NMS Labs derived data:
Median, 110 mcg/dL; range, 0 - 960 mcg/dL (N = 97).
10 - 90% of concentrations range from 56 - 250 mcg/dL.

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.