



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 12:52
Last Report Issued 05/13/2019 08:06

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 3041U-POS
Patient ID 3041U-POS
Chain 18001918
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 18001918
Received 11/21/2018 09:01

Sample ID 18001918-001
Matrix Urine
Patient Name 3041U-POS
Patient ID 3041U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

3041U Metoclopramide, Urine

Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Metoclopramide	500	ng/mL	100	
Synonym(s): Reglan®				
No reference data available.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.