



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 03/30/2020 13:00

**Last Report Issued** 09/21/2011 14:08

**88888**

Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 3214TI-POS

**Patient ID** 3214TI-POS

**Chain** 11002162

**Age** Not Given **DOB** Not Given

**Gender** Not Given

**Workorder** 11002162

**Received** 09/21/2011 14:02

**Sample ID** 11002162-001

**Matrix** Tissue

**Patient Name** 3214TI-POS

**Patient ID** 3214TI-POS

**Container Type** Clear vial

**Collect Dt/Tm** Not Given

**Source** Adipose Tissue (Fat)

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Tissue specimen required homogenization: 11002162-001

No testing performed on this sample.



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208

Phone: (215) 657-4900 Fax: (215) 657-2972

e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Sample ID** 11002162-002

**Matrix** Tissue

**Patient Name** 3214TI-POS

**Patient ID** 3214TI-POS

**Container Type** Clear vial

**Collect Dt/Tm** Not Given

**Source** Adipose Tissue (Fat)

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**3214TI Nitrous Oxide, Tissue**

Analysis by Gas Chromatography/Mass Spectrometry (GC/MS)

Nitrous Oxide	5000	mcg/g	1.8	
---------------	------	-------	-----	--

Nitrous Oxide is normally not detected in unexposed individuals.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.