



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 13:32
Last Report Issued 03/25/2019 07:14

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 4440U
Patient ID 4440U
Chain 19000225
Age Not Given DOB Not Given
Gender Not Given
Workorder 19000225
Received 01/28/2019 14:22

Sample ID 19000225-001
Matrix Urine
Patient Name 4440U
Patient ID 4440U
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

4440U Thiocyanate, Urine

Analysis by High Performance Liquid
Chromatography/Tandem Mass Spectrometry (LC-MS/MS)

Thiocyanate None Detected mcg/mL 0.10
CDC/NHANES (2013-2014) U.S. general adult population:
Non-smokers: Usually less than 3.6 mcg/mL
Smokers: Usually less than 15 mcg/mL

Thiocyanate (Creatinine corrected) None Detected mg/g Creat 0.10
CDC/NHANES (2013-2014) U.S. general adult population:
Non-smokers: Usually less than 3.7 mg/g creatinine
Smokers: Usually less than 16 mg/g creatinine

Analysis by Colorimetry (C)

Creatinine 1000 mg/L 100
U.S. Population (10th - 90th percentiles, median)
All participants:
335 - 2370 mg/L, median 1180 (n=22,245)
Males: 495 - 2540 mg/L, median 1370 (n=10,610)
Females: 273 - 2170 mg/L, median 994 (n=11,635)

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.