



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 13:33
Last Report Issued 03/25/2019 07:14

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 4472U
Patient ID 4472U
Chain 19000231
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 19000231
Received 01/28/2019 14:24

Sample ID 19000231-001
Matrix Urine
Patient Name 4472U
Patient ID 4472U
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
4472U Thiosulfate, Urine				
Analysis by Colorimetry (C)				
Creatinine	1000	mg/L	100	
U.S. Population (10th - 90th percentiles, median) All participants: 335 - 2370 mg/L, median 1180 (n=22,245) Males: 495 - 2540 mg/L, median 1370 (n=10,610) Females: 273 - 2170 mg/L, median 994 (n=11,635)				
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)				
Thiosulfate	None Detected	mcg/mL	0.10	
Generally less than 9.2 mcg/mL (based on a median creatinine concentration of 1.18 g/L).				
Thiosulfate (Creatinine corrected)	None Detected	mg/g Creat	0.10	
Generally less than 7.8 mg/g creatinine				
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.				