



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 13:37
Last Report Issued 04/21/2004 13:35

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 4650SP-POS
Patient ID 4650SP-POS
Chain 5
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 04004045
Received 04/21/2004 11:50

Sample ID 04004045-001
Matrix Serum or Plasma
Patient Name 4650SP-POS
Patient ID 4650SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

4650SP Trichloroethylene, Serum/Plasma

Analysis by Gas Chromatography (GC)

Trichloroethanol	5000	mcg/mL	0.50	ELEVATED
Synonym(s): Trichloroethylene Metabolite				
ACGIH biological exposure index: 4 mcg/mL blood collected at the end of shift at the end of workweek.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.