



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 03/30/2020 13:39  
**Last Report Issued** 03/14/2019 10:47

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 4720SP  
**Patient ID** 4720SP  
**Chain** 06011331  
**Age** Not Given **DOB** Not Given  
**Gender** Not Given  
**Workorder** 06011331  
**Received** 06/29/2006 10:25

**Sample ID** 06011331-001  
**Matrix** Serum or Plasma  
**Patient Name** 4720SP  
**Patient ID** 4720SP  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**4720SP Triprolidine, Serum/Plasma**

Analysis by Gas Chromatography (GC)

Triprolidine	None Detected	ng/mL	1.0	
Synonym(s): Actidil®				
2 hours following a single oral 3.75 mg dose (in syrup) the mean plasma level was 8.2 ng/mL.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.