



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 01/23/2023 06:35

**Patient Name** 8051B-POS  
**Patient ID** 8051B-POS  
**Chain** 21001849  
**DOB** Not Given  
**Sex** Not Given  
**Workorder** 21001849

**To: 88888**  
Forensic Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

Page 1 of 5

**Positive Findings:**

<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Matrix Source</u>
Ethanol	85	mg/dL	001 - Blood
Blood Alcohol Concentration (BAC)	0.085	g/100 mL	001 - Blood
Alprazolam	50	ng/mL	001 - Blood
6-Monoacetylmorphine - Free	50	ng/mL	001 - Blood
Delta-9 THC	5.0	ng/mL	001 - Blood
Fentanyl	20	ng/mL	001 - Blood

See Detailed Findings section for additional information

**Testing Requested:**

<u>Test</u>	<u>Test Name</u>
8051B	Postmortem, Basic, Blood (Forensic)

**Specimens Received:**

<u>ID</u>	<u>Tube/Container</u>	<u>Volume/ Mass</u>	<u>Collection Date/Time</u>	<u>Matrix Source</u>	<u>Labeled As</u>
001	Clear vial	Not Given	Not Given	Blood	Not Applicable

All sample volumes/weights are approximations.  
Specimens received on 12/13/2021.

**Detailed Findings:**

Analysis and Comments	Result	Units	Rpt. Limit	Specimen Source	Analysis By
Ethanol	85	mg/dL	10	001 - Blood	Headspace GC
Blood Alcohol Concentration (BAC)	0.085	g/100 mL	0.010	001 - Blood	Headspace GC
Alprazolam	50	ng/mL	5.0	001 - Blood	LC-MS/MS
Cocaine	20	ng/mL	10	001 - Blood	LC-MS/MS
6-Monoacetylmorphine - Free	50	ng/mL	1.0	001 - Blood	LC-MS/MS
Delta-9 THC	5.0	ng/mL	0.50	001 - Blood	LC-MS/MS
Ethanol	Confirmed	mg/dL	10	001 - Blood	Headspace GC
Fentanyl	20	ng/mL	0.20	001 - Blood	LC-MS/MS

**Other than the above findings, examination of the specimen(s) submitted did not reveal any positive findings of toxicological significance by procedures outlined in the accompanying Analysis Summary.**

**Reference Comments:**

1. 6-Monoacetylmorphine - Free (6-MAM; Heroin Metabolite) - Blood:

6-monoacetylmorphine (6-MAM) is the 6-monoacetylated form of morphine, which is pharmacologically active. When present, it is generally indicative of heroin (diacetylmorphine) use. 6-MAM has also been reported to occur as an artifact in samples with unusually high blood morphine concentrations.

A healthy man administered 12 mg heroin intravenously achieved peak blood concentrations at two minutes post injection of 150 ng/mL of 6-MAM and 44 ng/mL of morphine, which declined with half-lives of 7 minutes and 33 minutes, respectively.

Eight subjects who died within fifteen minutes of heroin administration had postmortem blood 6-MAM concentrations averaging 19 ng/mL with a range from less than 1.0 to 82 ng/mL.

2. Alprazolam (Xanax®) - Blood:

Alprazolam is a DEA Schedule IV second-generation benzodiazepine, which is effective at very low doses. It shares the actions of other benzodiazepines in the management of anxiety disorders and short-term relief of anxiety associated with depressive symptoms. Alpha-hydroxyalprazolam is an active metabolite of alprazolam. Common CNS-depressant side effects of alprazolam include drowsiness and fatigue. For anxiety, daily doses of 0.8 to 4 mg are effective whereas for phobic and panic disorders, 6 to 9 mg daily is recommended.

Reported therapeutic plasma concentrations of alprazolam are proportional to dose given: 3 mg/day produced steady-state levels of 30 ng/mL; 6 mg/day, 60 ng/mL; and 9 mg/day, 100 ng/mL.

In reported cases involving driving under the influence, alprazolam concentrations ranged from 8 - 640 ng/mL. Alcohol greatly enhances the activity of benzodiazepines.

Reported blood concentrations of alprazolam in alprazolam-related fatalities ranged from 100 - 400 ng/mL (mean, 200 ng/mL). In combination with other central nervous system depressants such as ethyl alcohol, alprazolam can become toxic at low concentrations.

**Reference Comments:**

3. Delta-9 THC (Active Ingredient of Marijuana) - Blood:

Marijuana is a DEA Schedule I hallucinogen. Pharmacologically, it has depressant and reality distorting effects. Collectively, the chemical compounds that comprise marijuana are known as Cannabinoids.

Delta-9-THC is the principle psychoactive ingredient of marijuana/hashish. It rapidly leaves the blood, even during smoking, falling to below detectable levels within several hours. Delta-9-carboxy-THC (THCC) is the inactive metabolite of THC and may be detected for up to one day or more in blood. Both delta-9-THC and THCC may be present substantially longer in chronic users.

THC concentrations in blood are usually about one-half of serum/plasma concentrations. Usual peak levels in serum for 1.75% or 3.55% THC marijuana cigarettes: 50 - 270 ng/mL at 6 to 9 minutes after beginning smoking, decreasing to less than 5 ng/mL by 2 hrs.

4. Ethanol (Ethyl Alcohol) - Blood:

Ethyl alcohol (ethanol, drinking alcohol) is a central nervous system depressant and can cause effects such as impaired judgment, reduced alertness and impaired muscular coordination. Ethanol can also be a product of decomposition or degradation of biological samples. The blood alcohol concentrations (BAC) can be expressed as a whole number with the units of mg/dL or as a decimal number with units of g/100 mL which is equivalent to % w/v. For example, a BAC of 85 mg/dL equals 0.085 g/100 mL or 0.085% w/v of ethanol.

5. Fentanyl (Duragesic®; Sublimaze®) - Blood:

Fentanyl is a DEA Schedule II synthetic morphine substitute anesthetic/analgesic. It is reported to be 80 to 200 times as potent as morphine and has a rapid onset of action as well as addictive properties.

It is reported that patients lost consciousness at mean plasma levels of fentanyl of 34 ng/mL when infused with 75 mcg/Kg over a 15 min period; peak plasma levels averaged 50 ng/mL.

After application of a fentanyl transdermal preparation (patch), serum fentanyl concentrations are reported to be in the following ranges within 24 hours:

25 mcg/hour patch: 0.3 - 1.2 ng/mL

50 mcg/hour patch: 0.6 - 1.8 ng/mL

75 mcg/hour patch: 1.1 - 2.6 ng/mL

100 mcg/hour patch: 1.9 - 3.8 ng/mL

Following removal of the patch, serum fentanyl concentrations are reported to decrease with a mean elimination half-life of 17 hours (range, 13 to 22 hours).

The mean peak plasma serum fentanyl concentration in adults given an 800 mcg oral transmucosal fentanyl preparation over 15 minutes is reported at 2.1 ng/mL (range, 1.4 - 3.0 ng/mL) at approximately 0.4 hours.

Signs associated with fentanyl toxicity include severe respiratory depression, seizures, hypotension, coma and death. In fatalities from fentanyl, blood concentrations are variable and have been reported as low as 3 ng/mL.

Substance(s) known to interfere with the identity and/or quantity of the reported result: 4-methylphenethyl acetyl fentanyl

**Sample Comments:**

001 Results were removed from report on 10/27/2022.

**Analysis Summary and Reporting Limits:**

All of the following tests were performed for this case. For each test, the compounds listed were included in the scope. The Reporting Limit listed for each compound represents the lowest concentration of the compound that will be reported as being positive. If the compound is listed as None Detected, it is not present above the Reporting Limit. Please refer to the Positive Findings section of the report for those compounds that were identified as being present.

Test 50012B - Benzodiazepines Confirmation, Blood - Blood

-Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS) for:



**Analysis Summary and Reporting Limits:**

<u>Analyte</u>	<u>Rpt. Limit</u>	<u>Analyte</u>	<u>Rpt. Limit</u>
7-Amino Clonazepam	5.0 ng/mL	Flurazepam	2.0 ng/mL
Alpha-Hydroxyalprazolam	5.0 ng/mL	Hydroxyethylflurazepam	5.0 ng/mL
Alprazolam	5.0 ng/mL	Hydroxytriazolam	5.0 ng/mL
Chlordiazepoxide	20 ng/mL	Lorazepam	5.0 ng/mL
Clobazam	20 ng/mL	Midazolam	5.0 ng/mL
Clonazepam	2.0 ng/mL	Nordiazepam	20 ng/mL
Desalkylflurazepam	5.0 ng/mL	Oxazepam	20 ng/mL
Diazepam	20 ng/mL	Temazepam	20 ng/mL
Estazolam	5.0 ng/mL	Triazolam	2.0 ng/mL

Test 50016B - Opiates - Free (Unconjugated) Confirmation, Blood - Blood

-Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS) for:

<u>Analyte</u>	<u>Rpt. Limit</u>	<u>Analyte</u>	<u>Rpt. Limit</u>
6-Monoacetylmorphine - Free	1.0 ng/mL	Hydromorphone - Free	1.0 ng/mL
Codeine - Free	5.0 ng/mL	Morphine - Free	5.0 ng/mL
Dihydrocodeine / Hydrocodol - Free	5.0 ng/mL	Oxycodone - Free	5.0 ng/mL
Hydrocodone - Free	5.0 ng/mL	Oxymorphone - Free	1.0 ng/mL

Test 52198B - Cannabinoids Confirmation, Blood - Blood

-Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS) for:

<u>Analyte</u>	<u>Rpt. Limit</u>	<u>Analyte</u>	<u>Rpt. Limit</u>
11-Hydroxy Delta-9 THC	1.0 ng/mL	Delta-9 THC	0.50 ng/mL
Delta-9 Carboxy THC	5.0 ng/mL		

Test 52250B - Alcohols and Acetone Confirmation, Blood - Blood

-Analysis by Headspace Gas Chromatography (GC) for:

<u>Analyte</u>	<u>Rpt. Limit</u>	<u>Analyte</u>	<u>Rpt. Limit</u>
Acetone	5.0 mg/dL	Isopropanol	5.0 mg/dL
Ethanol	10 mg/dL	Methanol	5.0 mg/dL

Test 52484B - Fentanyl and Acetyl Fentanyl Confirmation, Blood - Blood

-Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS) for:

<u>Analyte</u>	<u>Rpt. Limit</u>	<u>Analyte</u>	<u>Rpt. Limit</u>
Acetyl Fentanyl	0.20 ng/mL	Norfentanyl	0.40 ng/mL
Fentanyl	0.20 ng/mL		

Test 8051B - Postmortem, Basic, Blood (Forensic) - Blood

-Analysis by Enzyme-Linked Immunosorbent Assay (ELISA) for:

<u>Analyte</u>	<u>Rpt. Limit</u>	<u>Analyte</u>	<u>Rpt. Limit</u>
Amphetamines	20 ng/mL	Benzodiazepines	100 ng/mL
Barbiturates	0.040 mcg/mL	Buprenorphine / Metabolite	0.50 ng/mL



CONFIDENTIAL

Workorder 21001849  
Chain 21001849  
Patient ID 8051B-POS

Page 5 of 5

**Analysis Summary and Reporting Limits:**

<u>Analyte</u>	<u>Rpt. Limit</u>	<u>Analyte</u>	<u>Rpt. Limit</u>
Cannabinoids	10 ng/mL	Methamphetamine / MDMA	20 ng/mL
Cocaine / Metabolites	20 ng/mL	Opiates	20 ng/mL
Fentanyl / Acetyl Fentanyl	1.0 ng/mL	Oxycodone / Oxymorphone	10 ng/mL
Methadone / Metabolite	25 ng/mL	Phencyclidine	10 ng/mL

-Analysis by Headspace Gas Chromatography (GC) for:

<u>Analyte</u>	<u>Rpt. Limit</u>	<u>Analyte</u>	<u>Rpt. Limit</u>
Acetone	5.0 mg/dL	Isopropanol	5.0 mg/dL
Ethanol	10 mg/dL	Methanol	10 mg/dL