



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 06/01/2020 07:52
Last Report Issued 06/01/2020 07:52

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 8101U
Patient ID 8101U
Chain 20001264
Age Not Given DOB Not Given
Gender Not Given
Workorder 20001264
Received 06/01/2020 07:09

Sample ID 20001264-001
Matrix Urine
Patient Name 8101U
Patient ID 8101U
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

8101U Drugs of Abuse (11 Panel) and Alcohol Screen, Urine

Analysis by Enzyme Immunoassay (EIA)

Table listing drug screening results: Opiates, Cocaine / Metabolites, Benzodiazepines, Cannabinoids, Barbiturates, Methadone / Metabolite, Phencyclidine

Synonym(s): PCP; Sherm; Angel Dust

Table row for Oxycodone / Oxymorphone: None Detected, ng/mL, 100

Analysis by Enzyme Immunoassay (EIA)

Table listing drug screening results: Amphetamines, MDMA, Buprenorphine / Metabolite

Analysis by Headspace Gas Chromatography (GC)

Results for sample 20001264-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208

Phone: (215) 657-4900 Fax: (215) 657-2972

e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Sample ID 20001264-001

Matrix Urine

Patient Name 8101U

Patient ID 8101U

Collect Dt/Tm Not Given

Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
Ethanol Synonym(s): Ethyl Alcohol Ethyl alcohol (ethanol, drinking alcohol) is a central nervous system depressant and can cause effects such as impaired judgment, reduced alertness and impaired muscular coordination. Ethanol can also be a product of decomposition or degradation of biological samples.	None Detected	mg/dL	10	
Methanol Synonym(s): Methyl Alcohol Methanol is contained in paints, cleaners, windshield washer fluid, 'canned heat', and other household products. It may be consumed for its intoxicating properties which are similar to ethanol; however it is much more toxic. In addition to central nervous system depression with its associated slowing of reaction time, lethargy and confusion, methanol can cause blindness due to its toxic metabolites.	None Detected	mg/dL	5.0	
Isopropanol Synonym(s): Isopropyl Alcohol Isopropanol is a common industrial and laboratory chemical that is available as a 70% aqueous solution in 'Rubbing Alcohol'. Isopropanol may be consumed for its intoxicating effects. Isopropanol produces effects in man similar to those produced by ethanol, including impairment of cognitive, perceptual and psychomotor capabilities presenting as decrements in alertness, judgment, perception, coordination, response time and sense of care and caution. As a central nervous system depressant, isopropanol has about two times the potency of ethanol; therefore, while the effects produced are similar, impairment caused by isopropyl alcohol will occur at blood concentrations substantially lower than those of ethanol. Isopropyl alcohol is metabolized to acetone, however acetone produced in the body as a result of uncontrolled diabetes can also be converted to isopropanol.	None Detected	mg/dL	5.0	
Acetone	None Detected	mg/dL	5.0	

Results for sample 20001264-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Sample ID 20001264-001

Matrix Urine

Patient Name 8101U

Patient ID 8101U

Collect Dt/Tm Not Given

Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
------------------------------	---------------	--------------	------------------------	--------------

Acetone is a solvent used for chemicals, paints, etc. It is also a product of diabetic- and fasting-induced ketoacidosis as well as a metabolite following isopropanol ingestion. In high concentrations, acetone can have CNS-depressing effects. Symptoms include lethargy, ataxia, headache, nausea and lightheadedness. Stupor and coma appear in severe cases. Acetone produced in the body as a result of uncontrolled diabetes can also be converted to isopropanol.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.