



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 14:26
Last Report Issued 03/29/2017 12:50

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 9276SP
Patient ID 9276SP
Chain 17000549
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 17000549
Received 03/29/2017 09:19

Sample ID 17000549-001
Matrix Serum or Plasma
Patient Name 9276SP
Patient ID 9276SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

| Analysis and Comments | Result | Units | Reporting Limit | Notes |
|-----------------------|--------|-------|-----------------|-------|
|-----------------------|--------|-------|-----------------|-------|

9276SP Thiothixene (Cis Isomer) Screen, Serum/Plasma

Analysis by Gas Chromatography (GC)

| | | | | |
|---------------------------|---------------|-------|------|--|
| Cis-Thiothixene | None Detected | ng/mL | 0.20 | |
| Synonym(s): Active Isomer | | | | |

During chronic antipsychotic dosing with 5 - 20 mg t.i.d. 2 hours post dose peak levels are usually 10 - 23 ng cis-Thiothixene/mL plasma.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.