



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 03/30/2020 14:26  
**Last Report Issued** 03/29/2017 12:50

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 9276SP-POS  
**Patient ID** 9276SP-POS  
**Chain** 17000550  
**Age** Not Given **DOB** Not Given  
**Gender** Not Given  
**Workorder** 17000550  
**Received** 03/29/2017 09:19

**Sample ID** 17000550-001  
**Matrix** Serum or Plasma  
**Patient Name** 9276SP-POS  
**Patient ID** 9276SP-POS  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**9276SP Thiothixene (Cis Isomer) Screen, Serum/Plasma**

Analysis by Gas Chromatography (GC)

Cis-Thiothixene	5.0	ng/mL	0.20	
Synonym(s): Active Isomer				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

**5602SP Thiothixene (Cis Isomer) Confirmation, Serum/Plasma**

Analysis by Gas Chromatography/Mass Spectrometry (GC/MS)

Cis-Thiothixene	Confirmed	ng/mL	0.20	
Synonym(s): Active Isomer				

During chronic antipsychotic dosing with 5 - 20 mg t.i.d. 2 hours post dose peak levels are usually 10 - 23 ng cis-Thiothixene/mL plasma.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.