



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 14:33
Last Report Issued 12/30/2008 08:55

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 9434B-POS
Patient ID 9434B-POS
Chain 5
Age Not Given DOB Not Given
Gender Not Given
Workorder 04006938
Received 06/29/2004 08:42

Sample ID 04006938-001
Matrix Blood
Patient Name 9434B-POS
Patient ID 9434B-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

9434B Imipramine and Metabolite Screen, Blood

Analysis by Gas Chromatography (GC)

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes. Rows for Imipramine and Desipramine.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

5532B Imipramine and Metabolite Confirmation, Blood

Analysis by Gas Chromatography/Mass Spectrometry (GC/MS)

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes. Rows for Imipramine and Desipramine.

Results for sample 04006938-001 are continued on next page



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Sample ID** 04006938-001  
**Matrix** Blood  
**Patient Name** 9434B-POS  
**Patient ID** 9434B-POS

**Collect Dt/Tm** Not Given  
**Source** Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

Synonym(s): Norpramin®; Pertofrane®; Imipramine Metabolite

Optimal antidepressant range:  
150 - 440 ng total (Imipramine plus Desipramine)/mL.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.